4/13/20

### ARBR Bi-weekly Judicial Cases

Case	Referral date	Tolling agmt	Status/Next Steps
Ameren			-Remedy decision issued September 30, 2019. Judge ordered Ameren to 1) apply for
Chen			PSD permit with wet FGD, 2) meet 0.05 rate at RI, and 3) mitigate excess emissions at
Hertz Wu			Labadie using DSI or better.
Knodel			-Ameren filed motion to stay injunction – Sippel granted in part, denied in part.
Hanlon			-Ameren filed motion to change the deadlines in the order (DSI @Labadie). Sippel denied without prejudice, thereby allowing Ameren to re-file motion later in time.
			-Ameren brief filed with 8 <sup>th</sup> Circuit on January 23. US brief filed March 27. Deadline
			for Ameren's reply brief extended to May 20.
			101 Filling of Stepry Offer extended to 1914y 20.
			Ex. 5 AWP / Ex. 7(A)
			-Amicus brief filed 1/30 by Chamber of Commerce, America's Power, etc.
			C C ANA/D / C 7/AN
			Ex. 5 AWP / Ex. 7(A)
			-DOJ filed Notice with District Court on 2/5, alleging that Ameren did not comply with
			Judge Sippel's remedy order, i.e., they did not file a PSD permit application. DOJ and
			Ameren held meet and confer on March 23, still working on mutually agreeable status
Ually Evention*	12/28/15	F AMD / F 7/4)	report. Status report on meet-and-confer filed on 4/3.  HE CD signature page received 3/26/20 P.7 has signed as of 3/20.
HollyFrontier* Murray	12/28/13	Ex. 5 AWP / Ex. 7(A)	-HF CD signature page received 3/26/20. R7 has signed as of 3/30.
Mills			
Peterson			Ex. 5 AWP / Ex. 7(A)
Hensley			

# Ex. 5 AWP / Ex. 7(A)

Case	Referral date	Tolling agmt Status/Next Steps
Lehigh	5/2016	-Lehigh, EPA and states signed the CD
Murray		-CD lodged on 12/3. Eight public comments received regarding California and
Terriquez		Pennsylvania facilities from citizens and enviros. Comment period closed February 10.
		Ex. 5 AWP / Ex. 7(A)

# Ex. 5 AWP / Ex. 7(A)

### **Admin Cases**

Case Inspection date Status/Next Steps

## Ex. 5 AWP / Ex. 7(A)

Case Inspection date Status/Next Steps Ex. 5 AWP / Ex. 7(A) Edwards Fiberglass & Repair – Scalia, MO

Case Inspection date Status/Next Steps

Edwards Fiberglass & Repair – Sedalia, MO

Case Status/Next Steps

Ex. 5 AWP / Ex. 7(A)

Ex. 5 AWP / Ex. 7(A)

Case Inspection date Status/Next Steps **Other Potential Matters** Ex. 5 AWP / Ex. 7(A) Columbian Chemical – force majeure request On March 16 and 24, Columbian (Birla Carbon) provided letter with an anticipated non-compliance with a CD due to force majeure related to COVID-19. We are coordinating with KDHE, R6, OECA and DOJ on response Ex. 5 AWP / Ex. 7(A) Ex. 5 AWP / Ex. 7(A) Ex. 5 AWP / Ex. 7(A) Ex. 5 AWP / Ex. 7(A)

**Air Counseling** 

Ex. 5 Deliberative Process (DP)

- MO-405: final/signed 3/31
- MO-409 (Portland cement kilns): signed 3/31
- NE-101 (Lincoln-Lancaster/authority to issue PSD): 2 comments received, not adverse. Being finalized.

### Ex. 5 AC/AWP/DP

- Comment letter went to Missouri by 4/2 regarding rule revisions on (MO) public notice:
  - 10 CSR 10-2.330 Control of Gasoline Reid Vapor Pressure;
  - 10 CSR 10-5.390 Control of Emissions From the Manufacture of Paints, Varnishes, Lacquers, Enamels, and Other Allied Surface Coating Products;
  - 10 CSR 10-6.061 Construction Permit Exemptions;
  - 10 CSR 10-6.270 Acid Rain Source Permits Required; and
  - 10 CSR 10-6.405 Restriction of Particulate Matter Emissions From Fuel Burning Equipment Used for Indirect Heating

### Ex. 5 WP / Ex. 5 DP

## Ex. 5 WP / Ex. 5 DP

Jefferson Co. redesignation:

Ex. 5 AC / Ex. 5 WP / Ex. 5 DP

Ex. 5 AC / Ex. 5 WP / Ex. 5 DP

Ex. 5 AC / Ex. 5 WP / Ex. 5 DP

Nebraska 2015 ozone i-SIP: Ex. 5 Deliberative Process (DP)

- PM2.5 precursors definition and App W for iSIPs; addressing public comment
- Round 4 SO2 designations December 2020.

Ex. 5 AC / Ex. 5 WP / Ex. 5 DP

Ex. 5 AC / Ex. 5 WP / Ex. 5 DP

